Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Journal of Magnetism and Magnetic Materials 281 (2004) 410–413
Journal of magnetism and magnetic materials
www.elsevier.com/locate/jmmm

Author index to volume 281

Aaboubi, O., see Msellak, K. 295
Altbir, D., see Bahiana, M. 372
Amblard, J., see Msellak, K. 295
Andrzejewski, B., see Chełkowska, G. 267
Anestiev, L., M. De Wulf, L. Froyen, L. Dupre and J. Melkebeek, Preparation of soft magnetic alloys $Fe_{100-x-y}Si_xP_y$ ($0<x<9$, $0<y<0.6$ wt%), using solid phase diffusion-sintering method 124
Arakelian, V.H., Transition excitation of surface polaritons by a moving charge on antiferromagnet 140
Askerov, I.M., On the magnetic hyperfine interaction in Ga_2Se_3:EuSe defect crystals 42
Atkinson, R., see Hendren, W.R. 382
Avramenko, B.A., see Samofalov, V.N. 326

Bacaltchuk, M.B., see Li, D.S. 272
Badurek, G., see Turtelli, R.S. 364
Bahiana, M., J.P. Pereira Nunes, D. Altbir, P. Vargas and M. Knobel, Ordering effects of the dipolar interaction in lattices of small magnetic particles 372
Bajorek, A., see Szajek, A. 281
Barnard, J.A., see Li, D.S. 272
Batista, C.D., see Lin, H.Q. 240
Belevtsev, B.I., A.Y. Kirichenko, N.T. Cherpak, G.V. Golubnichaya, I.G. Maximchuk, E.Y. Beliayev, A.S. Panfilov and J. Fink-Finowicki, Giant magnetic-field changes in radio-frequency absorption in $La_{0.67}Sr_{0.33}MnO_3$ near the Curie temperature 97
Beliayev, E.Y., see Belevtsev, B.I. 97
Belozorov, D.P., see Samofalov, V.N. 326
Berger, R., see Ronneteg, S. 388
Bhagwat, S., see Thamankar, R. 206
Bi, H., see Li, S. 11
Bi, X., J. Wang, W. Lan, S. Gong and H. Xu, Concentration dependence of microstructure and soft magnetic properties in the FeSi–ZrO_2 granular films 290
Bormio-Nunes, C., see Turtelli, R.S. 364
Buschow, K.H.J., see Tung, L.D. 378

Chełkowska, G., M. Kwiecień and B. Andrzejewski, Magnetic, electric and XPS study of $Dy(Co_{1-x}Fe_x)_2$ compounds 267
Chełkowska, G., see Szajek, A. 281
Chelvane, J.A. and G. Markandeyulu, Structural, electrical and magnetic properties of $Ho_{0.85}Tb_{0.15}Fe_2B_x$ 1
Chen, H.-Y., see Wang, W. 305
Cherpak, N.T., see Belevtsev, B.I. 97
Chin, T.S., see Vokoun, D. 105
Chopart, J.-P., see Msellak, K. 295
Clegg, W.W., see Hendren, W.R. 382
Cótica, L.F., see de Medeiros, S.N. 227
Cziráki, Á., see Klencsár, Z. 115

da Cunha, J.B.M., see de Medeiros, S.N. 227
Dai, J.M., see Zhang, R.L. 318
de Medeiros, S.N., A. Luciano, L.F. Cótica, I.A. Santos, A. Paesano Jr. and J.B.M. da Cunha, Structural and magnetic characterization of the ball-milled α-Fe_2O_3–Mn_2O_3 and α-Fe–Mn_2O_3 systems 227
De Wulf, M., see Anestiev, L. 124
Delplancke, J.-L., see Mancier, V. 27
Delwiche, J., see Mancier, V. 27
Dewhurst, C.D., see Turtelli, R.S. 364
Dezanneau, G., see Ihzaz, N. 221
Dhahri, J., see Ihzaz, N. 221
Du, J.J., see Zhang, R.L. 318
Du, X.-b., H.-w. Zhang, C-b. Rong, J. Zhang, S.-y. Zhang, B.-g. Shen, Y. Yan and H.-m. Jin, Magnetic properties and coercivity mechanism of melt-spun $Sm(Co_{1-x}Fe_x)_{6.8}Zr_{0.2}C_{0.06}$ ribbons with $TbCu_7$ structure 255
Du, Y., see Li, S. 11
Du, Y.W., see Wu, X.L. 77
Dupre, L., see Anestiev, L. 124

Elkawni, M., see Li, D.S. 272

Fang, K., see Sun, G. 405
Feng, J., see Sun, G. 405
Feng, W.C., see Han, G.B. 6
Feng, Y., see Zhang, R.L. 318
Fink-Finowicki, J., see Belevtsev, B.I. 97
Froyen, L., see Anestiev, L. 124
Fu, S., see Han, G.B. 6
Fu, S.-Y., see Liu, X.-M. 234

Gao, R.W., see Han, G.B. 6
Garmestani, H., see Li, D.S. 272

doi: 10.1016/S0304-8853(04)00857-1

Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Journal of Magnetism and Magnetic Materials 281 (2004) 410–413
Journal of magnetism and magnetic materials
www.elsevier.com/locate/jmmm

Author index to volume 281

Aaboubi, O., see Msellak, K. 295
Altbir, D., see Bahiana, M. 372
Amblard, J., see Msellak, K. 295
Andrzejewski, B., see Chełkowska, G. 267
Anestiev, L., M. De Wulf, L. Froyen, L. Dupre and J. Melkebeek, Preparation of soft magnetic alloys $Fe_{100-x-y}Si_xP_y$ ($0<x<9$, $0<y<0.6$ wt%), using solid phase diffusion-sintering method 124
Arakelian, V.H., Transition excitation of surface polaritons by a moving charge on antiferromagnet 140
Askerov, I.M., On the magnetic hyperfine interaction in Ga_2Se_3:EuSe defect crystals 42
Atkinson, R., see Hendren, W.R. 382
Avramenko, B.A., see Samofalov, V.N. 326

Bacaltchuk, M.B., see Li, D.S. 272
Badurek, G., see Turtelli, R.S. 364
Bahiana, M., J.P. Pereira Nunes, D. Altbir, P. Vargas and M. Knobel, Ordering effects of the dipolar interaction in lattices of small magnetic particles 372
Bajorek, A., see Szajek, A. 281
Barnard, J.A., see Li, D.S. 272
Batista, C.D., see Lin, H.Q. 240
Belevtsev, B.I., A.Y. Kirichenko, N.T. Cherpak, G.V. Golubnichaya, I.G. Maximchuk, E.Y. Beliayev, A.S. Panfilov and J. Fink-Finowicki, Giant magnetic-field changes in radio-frequency absorption in $La_{0.67}Sr_{0.33}MnO_3$ near the Curie temperature 97
Beliayev, E.Y., see Belevtsev, B.I. 97
Belozorov, D.P., see Samofalov, V.N. 326
Berger, R., see Ronneteg, S. 388
Bhagwat, S., see Thamankar, R. 206
Bi, H., see Li, S. 11
Bi, X., J. Wang, W. Lan, S. Gong and H. Xu, Concentration dependence of microstructure and soft magnetic properties in the FeSi–ZrO_2 granular films 290
Bormio-Nunes, C., see Turtelli, R.S. 364
Buschow, K.H.J., see Tung, L.D. 378

Chełkowska, G., M. Kwiecień and B. Andrzejewski, Magnetic, electric and XPS study of $Dy(Co_{1-x}Fe_x)_2$ compounds 267
Chełkowska, G., see Szajek, A. 281
Chelvane, J.A. and G. Markandeyulu, Structural, electrical and magnetic properties of $Ho_{0.85}Tb_{0.15}Fe_2B_x$ 1
Chen, H.-Y., see Wang, W. 305
Cherpak, N.T., see Belevtsev, B.I. 97
Chin, T.S., see Vokoun, D. 105
Chopart, J.-P., see Msellak, K. 295
Clegg, W.W., see Hendren, W.R. 382
Cótica, L.F., see de Medeiros, S.N. 227
Cziráki, Á., see Klencsár, Z. 115

da Cunha, J.B.M., see de Medeiros, S.N. 227
Dai, J.M., see Zhang, R.L. 318
de Medeiros, S.N., A. Luciano, L.F. Cótica, I.A. Santos, A. Paesano Jr. and J.B.M. da Cunha, Structural and magnetic characterization of the ball-milled α-Fe_2O_3–Mn_2O_3 and α-Fe–Mn_2O_3 systems 227
De Wulf, M., see Anestiev, L. 124
Delplancke, J.-L., see Mancier, V. 27
Delwiche, J., see Mancier, V. 27
Dewhurst, C.D., see Turtelli, R.S. 364
Dezanneau, G., see Ihzaz, N. 221
Dhahri, J., see Ihzaz, N. 221
Du, J.J., see Zhang, R.L. 318
Du, X.-b., H.-w. Zhang, C-b. Rong, J. Zhang, S.-y. Zhang, B.-g. Shen, Y. Yan and H.-m. Jin, Magnetic properties and coercivity mechanism of melt-spun $Sm(Co_{1-x}Fe_x)_{6.8}Zr_{0.2}C_{0.06}$ ribbons with $TbCu_7$ structure 255
Du, Y., see Li, S. 11
Du, Y.W., see Wu, X.L. 77
Dupre, L., see Anestiev, L. 124

Elkawni, M., see Li, D.S. 272

Fang, K., see Sun, G. 405
Feng, J., see Sun, G. 405
Feng, W.C., see Han, G.B. 6
Feng, Y., see Zhang, R.L. 318
Fink-Finowicki, J., see Belevtsev, B.I. 97
Froyen, L., see Anestiev, L. 124
Fu, S., see Han, G.B. 6
Fu, S.-Y., see Liu, X.-M. 234

Gao, R.W., see Han, G.B. 6
Garmestani, H., see Li, D.S. 272

doi: 10.1016/S0304-8853(04)00857-1

Goel, T.C., see Singh, A.K. 276
Golubnichaya, G.V., see Belevtsev, B.I. 97
Gong, S., see Bi, X. 290
Gopalakrishnan, K.V., see Kundu, A.K. 261
Grandjean, F., see Mancier, V. 27
Grössinger, R., see Turtelli, R.S. 364
Gu, B., see Li, S. 11
Guan, H.-S., see Li, Y.-T. 68
Gubernatis, J.E., see Lin, H.Q. 240
Gusin, P. and J. Warczewski, On the relations between magnetization and topological invariants of the physical system 178
Gweon, D.-G., see Lee, M.G. 336

Hakl, J., see Klencsár, Z. 115
Han, G.B., R.W. Gao, S.S. Yan, H.Q. Liu, S. Fu, W.C. Feng, W. Li and X.M. Li, Effect of exchange–coupling interaction on the effective anisotropy in nanocrystalline $Nd_2Fe_{14}B$ material 6
Hemeda, O.M., IR spectral studies of $Co_{0.6}Zn_{0.4}Mn_xFe_{2-x}O_4$ ferrites 36
Hendren, W.R., R. Atkinson, R.J. Pollard, I.W. Salter, C.D. Wright, W.W. Clegg and D.F.L. Jenkins, The influence of dielectric layers on the magnetic properties of thin GdFeCo layers for in-plane MAMMOS/MSR media 382
Hirosawa, S., H. Kanekiyo and T. Miyoshi, Unusual effects of Ti and C additions on structural and magnetic properties of Nd–Fe–B nanocomposite magnets in a B-rich and Nd-poor composition range 58
Hisatake, K., see Sasaki, H. 53
Hong, C.-Y., see Yang, S.Y. 48
Hong, N.H., J. Sakai and W. Prellier, Distribution of dopant in Fe:TiO_2 and Ni:TiO_2 thin films 347
Horng, H.E., see Yang, S.Y. 48
Hsiao, Y.T., see Yang, S.Y. 48
Hu, C.T., see Vokoun, D. 105
Huang, C.-J., see Liu, X.-M. 234
Huang, Y.W., see Yang, S.Y. 48
Hubin-Franskin, M.-J., see Mancier, V. 27

Ihzaz, N., H. Vincent, G. Dezanneau, H. Roussel, J. Dhahri and M. Oumezzine, Phase segregation in the hole-doped manganite $Nd_{0.93}MnO_{2.96}$: magnetic measurements and neutron diffraction 221
Inomata, K., see Maeda, T. 195

Jacquart, P.-M. and L. Roux, Influence of the electrical resistivity of a ferromagnetic thin film on its permeability measurement performed with a permeameter 82
Jantaratana, P. and C. Sirisathitkul, Giant magnetoimpedance in silicon steels 399
Jbara, O., see Msellak, K. 295
Jenkins, D.F.L., see Hendren, W.R. 382
Jiang, H.Y., see Wu, X.L. 77
Jin, H.-m., see Du, X.-b. 255

Kagotani, T., see Maeda, T. 195
Kainuma, S., see Sasaki, H. 53
Kanekiyo, H., see Hirosawa, S. 58
Kianvash, A., see Madaah Hosseini, H.R. 92
Kim, C.O., see Sasaki, H. 53
Kirichenko, A.Y., see Belevtsev, B.I. 97
Klencsár, Z., Z. Németh, A. Vértes, I. Kotsis, M. Nagy, Á. Cziráki, C. Ulhaq-Bouillet, V. Pierron-Bohnes, K. Vad, S. Mészáros and J. Hakl, The effect of cation disorder on the structure of Sr_2FeMoO_6 double perovskite 115
Knobel, M., see Bahiana, M. 372
Kotsis, I., see Klencsár, Z. 115
Kundu, A.K., E.V. Sampathkumaran, K.V. Gopalakrishnan and C.N.R. Rao, Inhomogeneous magnetic behavior of $Pr_{0.7}Ca_{0.3}CoO_3$ and $Nd_{0.7}Ca_{0.3}CoO_3$ 261
Kwiecień, M., see Chełkowska, G. 267

Lan, W., see Bi, X. 290
Lee, M.G. and D.-G. Gweon, Optimal design of a double-sided linear motor with a multi-segmented trapezoidal magnet array for a high precision positioning system 336
Lees, M.R., see Tung, L.D. 378
Lei, H., see Sun, G. 405
Levitin, R.Z., see Ronneteg, S. 388
Li, D.S., H. Garmestani, S.-S. Yan, M. Elkawni, M.B. Bacaltchuk, H.J. Schneider-Muntau, J.P. Liu, S. Saha and J.A. Barnard, Effects of high magnetic field annealing on texture and magnetic properties of FePd 272
Li, J.-B., see Sun, G.-L. 173
Li, R., Q. Shen, L. Zhang and T. Zhang, Magnetic properties of high silicon iron sheet fabricated by direct powder rolling 135
Li, S., H. Bi, Z. Tian, F. Xu, B. Gu, M. Lu and Y. Du, Surface spin pinning effect of polymer decomposition residues in $CoCr_2O_4$ nanocrystallites system 11
Li, W., see Han, G.B. 6
Li, X.M., see Han, G.B. 6
Li, Y.-T., C.-W. Yan, J.-F. Lou and H.-S. Guan, Synthesis and magnetic studies of μ-oxalato-bridged copper(II)-M(III)-copper(II) (M = Cr and Fe) heterotrinuclear complexes 68
Lin, H.Q., H.Y. Shik, Y.Q. Wang, C.D. Batista and J.E. Gubernatis, Investigating magnetic properties by quantum Monte Carlo simulations 240
Liu, G., see Wang, W. 305
Liu, H.Q., see Han, G.B. 6
Liu, J.P., see Li, D.S. 272
Liu, X.-M., S.-Y. Fu and C.-J. Huang, Magnetic properties of Ni ferrite nanocrystals dispersed in the silica matrix by sol–gel technique 234
Liu, Z.Y., Effect of varying ferromagnetic anisotropy on exchange-bias in $[Pt/Co]_3/NiO(11\,Å)$ multilayers 247
Lou, J.-F., see Li, Y.-T. 68
Lu, M., see Li, S. 11

Luciano, A., see de Medeiros, S.N. 227
Lueken, H., see Schilder, H. 17

Ma, Y.Q., see Zhang, R.L. 318
Madaah Hosseini, H.R. and A. Kianvash, The role of milling atmosphere on microstructure and magnetic properties of a $Nd_{12.8}Fe_{79.8}B_{7.4}$-type sintered magnet 92
Maeda, T., S. Sugimoto, T. Kagotani, N. Tezuka and K. Inomata, Effect of the soft/hard exchange interaction on natural resonance frequency and electromagnetic wave absorption of the rare earth–iron–boron compounds 195
Mancier, V., J.-L. Delplancke, J. Delwiche, M.-J. Hubin-Franskin, C. Piquer, L. Rebbouh and F. Grandjean, Morphologic, magnetic, and Mössbauer spectral properties of $Fe_{75}Co_{25}$ nanoparticles prepared by ultrasound-assisted electrochemistry 27
Markandeyulu, G., see Chelvane, J.A. 1
Maximchuk, I.G., see Belevtsev, B.I. 97
Melkebeek, J., see Anestiev, L. 124
Mendiratta, R.G., see Singh, A.K. 276
Mészáros, S., see Klencsár, Z. 115
Miyoshi, T., see Hirosawa, S. 58
Morinari, T., Evolution of Néel order and localized spin moment in the doped two-dimensional Hubbard model 188
Morkowski, J.A., see Szajek, A. 281
Moses, A.J., see Tutkun, N. 110
Msellak, K., J.-P. Chopart, O. Jbara, O. Aaboubi and J. Amblard, Magnetic field effects on Ni–Fe alloys codeposition 295

Nagy, M., see Klencsár, Z. 115
Nedkov, I., see Pajić, D. 353
Németh, Z., see Klencsár, Z. 115

Oumezzine, M., see Ihzaz, N. 221

Paesano Jr., A., see de Medeiros, S.N. 227
Pajić, D., K. Zadro, R. E. Vanderberghe and I. Nedkov, Superparamagnetic relaxation in $Cu_xFe_{3-x}O_4$ ($x = 0.5$ and $x = 1$) nanoparticles 353
Panfilov, A.S., see Belevtsev, B.I. 97
Paul, D.M., see Tung, L.D. 378
Pei, F., see Sun, G. 405
Pereira Nunes, J.P., see Bahiana, M. 372
Pierron-Bohnes, V., see Klencsár, Z. 115
Piquer, C., see Mancier, V. 27
Poenar, D., see Ramadan, Q. 150
Pollard, R.J., see Hendren, W.R. 382
Popova, E.A., see Ronneteg, S. 388
Prellier, W., see Hong, N.H. 347
Prozorov, R. and T. Prozorov, Effective collective barrier for magnetic relaxation in frozen ferrofluids 312
Prozorov, T., see Prozorov, R. 312

Ramadan, Q., V. Samper, D. Poenar and C. Yu, On-chip micro-electromagnets for magnetic-based biomolecules separation 150
Rao, C.N.R., see Kundu, A.K. 261
Ravlik, A.G., see Samofalov, V.N. 326
Rebbouh, L., see Mancier, V. 27
Rong, C-b., see Du, X.-b. 255
Ronneteg, S., R. Berger, R.Z. Levitin, E.A. Popova, R.M. Scherbov and A.N. Vasiliev, Longitudinal spin fluctuations in thermal and magnetic properties of $TlCo_2Se_{2-x}S_x$ 388
Roussel, H., see Ihzaz, N. 221
Roux, L., see Jacquart, P.-M. 82

Saha, S., see Li, D.S. 272
Sakai, J., see Hong, N.H. 347
Salter, I.W., see Hendren, W.R. 382
Samofalov, V.N., A.G. Ravlik, D.P. Belozorov and B.A. Avramenko, Generation of strong inhomogeneous stray fields by high-anisotropy permanent magnets 326
Sampathkumaran, E.V., see Kundu, A.K. 261
Samper, V., see Ramadan, Q. 150
Santos, I.A., see de Medeiros, S.N. 227
Sasaki, H., S. Kainuma, K. Takayanagi, K. Hisatake and C.O. Kim, Temperature dependence of giant magnetoresistance in pulse-plated CoCu/Cu multilayers 53
Sassik, H., see Turtelli, R.S. 364
Scherbov, R.M., see Ronneteg, S. 388
Schilder, H. and H. Lueken, Computerized magnetic studies on d, f, d–d, f–f, and d–*S*, f–*S* systems under varying ligand and magnetic fields 17
Schneider-Muntau, H.J., see Li, D.S. 272
Schobinger-Papamantellos, P., see Tung, L.D. 378
Schönhart, M., see Turtelli, R.S. 364
Schumann, F.O., see Thamankar, R. 206
Semitelou, I.P., see Siouris, I.M. 394
Shen, B.-g., see Du, X.-b. 255
Shen, Q., see Li, R. 135
Shih, J.C., see Vokoun, D. 105
Shik, H.Y., see Lin, H.Q. 240
Singh, A.K., A.K. Singh, T.C. Goel and R.G. Mendiratta, High performance Ni-substituted Mn–Zn ferrites processed by soft chemical technique 276
Singh, A.K., see Singh, A.K. 276
Siouris, I.M., I.P. Semitelou and J.K. Yakinthos, Magnetic properties of Tm_2AgIn_3 394
Sirisathitkul, C., see Jantaratana, P. 399
Song, W.H., see Zhang, R.L. 318
Sugimoto, S., see Maeda, T. 195
Sun, G., J. Feng, H. Wu, F. Pei, K. Fang and H. Lei, Gadolinium heteropoly complex $K_{17}[Gd(P_2W_{17}O_{61})_2]$ as a potential MRI contrast agent 405
Sun, G.-L., J.-B. Li, J.-J. Sun and X.-Z. Yang, The influences of Zn^{2+} and some rare-earth ions on the magnetic properties of nickel–zinc ferrites 173

Sun, J.-J., see Sun, G.-L. 173
Sun, Y.P., see Zhang, R.L. 318
Szajek, A., J.A. Morkowski, A. Bajorek, G. Chełkowska and R. Troć, Electronic structure and X-ray photoemission spectra of the compounds APtSn I (A = Th, U) 281

Takayanagi, K., see Sasaki, H. 53
Tang, N.J., see Wu, X.L. 77
Tezuka, N., see Maeda, T. 195
Thamankar, R., S. Bhagwat and F.O. Schumann, Effect of submonolayer coverage of Fe and Mn films on the magnetization direction of Ni/Cu(1 0 0) 206
Tian, Z., see Li, S. 11
Triyono, D., see Turtelli, R.S. 364
Troć, R., see Szajek, A. 281
Tung, L.D., D.M. Paul, M.R. Lees, P. Schobinger-Papamantellos and K.H.J. Buschow, Specific heat studies of $PrCoAl_4$ single crystal 378
Turtelli, R.S., D. Triyono, G. Badurek, M. Schönhart, R. Grössinger, C.D. Dewhurst, H. Sassik and C. Bormio-Nunes, Magnetic and structural properties of Joule-heated $Fe_{73}Al_5Ga_2P_{11-x}C_5B_4Si_x$ amorphous thick ribbons 364
Tutkun, N. and A.J. Moses, Effects of geometrical factors on iron loss increase in wound toroidal cores energized by pulse width modulated voltage sources 110

Ulhaq-Bouillet, C., see Klencsár, Z. 115

Vad, K., see Klencsár, Z. 115
Vanderberghe, R.E., see Pajić, D. 353
Vargas, P., see Bahiana, M. 372
Vasiliev, A.N., see Ronneteg, S. 388
Vértes, A., see Klencsár, Z. 115
Vincent, H., see Ihzaz, N. 221
Vokoun, D., J.C. Shih, T.S. Chin and C.T. Hu, Magnetic properties of Fe–~30 at% Pd films 105

Wang, J., see Bi, X. 290
Wang, W., X.-J. Zhang, H.-Y. Chen, C.-H. Yang and G. Liu, The magnetic properties of erbium gallium garnet under the high magnetic field 305
Wang, Y.Q., see Lin, H.Q. 240
Warczewski, J., see Gusin, P. 178
Wright, C.D., see Hendren, W.R. 382
Wu, H., see Sun, G. 405
Wu, X.L., W. Zhong, H.Y. Jiang, N.J. Tang, W.Q. Zou and Y.W. Du, Magnetic properties and thermal stability of γ'-Fe_4N nanoparticles prepared by a combined method of reduction and nitriding 77

Xu, F., see Li, S. 11
Xu, H., see Bi, X. 290

Yakinthos, J.K., see Siouris, I.M. 394
Yan, C.-W., see Li, Y.-T. 68
Yan, S.-S., see Li, D.S. 272
Yan, S.S., see Han, G.B. 6
Yan, Y., see Du, X.-b. 255
Yang, C.-H., see Wang, W. 305
Yang, H.C., see Yang, S.Y. 48
Yang, S.Y., Y.T. Hsiao, Y.W. Huang, H.E. Horng, C.-Y. Hong and H.C. Yang, Retarded response of the optical transmittance through a magnetic fluid film under switching-on/off external magnetic fields 48
Yang, X.-Z., see Sun, G.-L. 173
Yu, C., see Ramadan, Q. 150

Zadro, K., see Pajić, D. 353
Zhang, H.-w., see Du, X.-b. 255
Zhang, J., see Du, X.-b. 255
Zhang, L., see Li, R. 135
Zhang, R.L., Y. Feng, W.H. Song, J.M. Dai, Y.Q. Ma, J.J. Du and Y.P. Sun, The effect of Ho-doping and Ho-adding on electronic transport and magnetic properties of $La_{0.67}Ca_{0.33}MnO_3$ 318
Zhang, S.-y., see Du, X.-b. 255
Zhang, T., see Li, R. 135
Zhang, X.-J., see Wang, W. 305
Zhao, Y.M. and P.F. Zhou, Metal–insulator transition in helical $SrFeO_{3-\delta}$ antiferromagnet 214
Zhong, W., see Wu, X.L. 77
Zhou, P.F., see Zhao, Y.M. 214
Zou, W.Q., see Wu, X.L. 77

Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Journal of Magnetism and Magnetic Materials 281 (2004) 414–415
Journal of magnetism and magnetic materials
www.elsevier.com/locate/jmmm

Subject index to volume 281

Actinides 17, 281
Amorphous soft magnetic materials 364
Anisotropy 247, 305
Antiferromagnetics 378
Antiferromagnetism 140, 388

B–H loop parameters 276
Bio-molecule/cell separation 150
Blocking temperature 247

Carrier doping 188
$CoCr_2O_4$ magnetic properties 11
CoCu/Cu multilayer 53
Codeposition 295
Coercive field 364
Coercive force 105, 326
Collective barrier 312
Colossal magnetoresistance 97
Complex permeability 77
Composite ferrite 82
Contrast agent 405
Copper ferrite 353
Cu(II)–Cr(III)–Cu(II) 68
Cu(II)–Fe(III)–Cu(II) 68

D. Magnetic measurements 267
DC resistivity 276
Debye temperature 42
Demagnetizing field 326
Dielectric relaxation intensity 276
Dipolar interaction 372
Direct powder rolling 135
Disaccommodation 364
Double exchange mechanism 318

EB-PVD 290
Effective anisotropy 6
Electrical resistivity 1, 82
Electrical steels 110
Electrodeposition 53
Electronic band structure 281
Electronic transport and magnetic properties 318
Epitaxial growth 53
Euler–Poincaré characteristic 178
Europium impurity 42
Exchange bias 247
Exchange interaction 195
Exchange–coupling interaction 6
Excitation 140

γ'-Fe_4N 77
FePd 272
Ferrites 36, 276
Ferrofluid 312
Ferromagnetic film 82
Ferromagnetic materials 347
Ferromagnetism 388
FeSi–ZrO_2 granular film 290
Fine particle systems 372
Frequency-dependent permeability 82

Gadolinium 405
Giant anisotropy 326
Giant magnetoimpedance 399
Giant magnetoresistance 53
GMR sensor 326
Green function 178
Gyromagnetic resonance 82

Heat treatment 135
Helical antiferromagnet 214
Heteropoly complex 405
Heterotrinuclear complexes 68
High silicon–iron strip 135
High-gradient field 326
Hubbard and Heisenberg spin Hamiltonian 178
Hubbard model 188
Hyperfine interaction 42

Impurity and defect levels 115
In-plane 247
Indium 394
Intermetallics 267
Ir spectra 36
Iron oxide 227
Iron–cobalt alloy 27
Iron-palladium 105
Irreversibility 312

Isomer shift 42
Itinerant ferromagnetism 240

Joule heating 364
Jump rate 36

Kittel domain structure 326

Lanthanides 17
Lattice constants 318
Layered magnetic structure 388
Lefschetz number 178
Linear motor 336
Localized spin moment 188

Magnetic anisotropy 1, 272
Magnetic annealing 272
Magnetic beads 150
Magnetic domain expansion 382
Magnetic field 295, 305, 336
Magnetic fluid 48
Magnetic inhomogeneity 318
Magnetic interaction 68
Magnetic losses 110
Magnetic materials 1
Magnetic measurements 27, 110
Magnetic ordering 394
Magnetic permeability 124, 399
Magnetic powder 92
Magnetic Properties 1, 17, 58, 77, 92, 173, 221, 261, 295
Magnetic relaxation 312, 353
Magnetic resonance imaging (MRI) 405
Magnetic semiconductors 347
Magnetic separation 150
Magnetic viscosity 353
Magnetically ordered materials 97
Magnetization 234, 305
Magnetization reversal mechanism 255
Magneto-optical recording 382
Magnetoresistance 214
MAMMOS 382
Manganites 97
Mechanical alloying 227
Metal–insulator transition 214

doi: 10.1016/S0304-8853(04)00858-3

Metamagnetism 388
Microstructure 58, 92
Microwave absorber 195
Milling atmosphere 92
MOKE 206
Monte Carlo simulation 372
Mössbauer effect 115
Mössbauer spectroscopy 27, 227
Multi-segmented trapezoidal magnet array 336
Multiplet 305

Nanocomposite 234
Nanocomposite magnet 58
Nanocrystalline material 255
Nanocrystalline $Nd_2Fe_{14}B$ 6
Nanomagnetism 372
Nanometer materials 11
Nanoparticles 27, 77
Natural resonance 195
Nd–Fe–B 58
Nd–Fe–B alloys 92
Néel order 188
Neutron diffraction 221
Nickel–zinc ferrites 173
$NiFe_2O_4$ 234
Ni–Fe alloys 295

Optimal design 336
Out-of-plane 247
Overlayer 206
Oxalato-bridge 68
Oxygen content 92

Permanent magnet 326
Permanent magnetic 255
Permeameter 82
Phase segregation 221
Photoelectron spectroscopy 267
Photoemission spectroscopy 281
Pinning field 364
Planar micro-electromagnet 150
Polaritons 140
Powder reaction 135
Pr based compounds 378
PWM excitation 110

Quantum Monte Carlo 240

Rapid solidification 58
Rare earth 173
Rare earth iron boron 195
Rare-earth 394
Rare-earth compounds 261
Rare-earth manganites 221
Refractive index 36
Relative loss factor 276
Relaxivity 405
Resistivity 290
Retarding 48
RF absorption 97

Saturation magnetization 276, 326
Silicon steel 399
Silver 394
Single-domain nanoparticles 353
Sintering 92, 124
Skin depth 399
Small-angle neutron scattering 364
Soft magnetic Fe-based materials 124
Soft magnetic property 290
Sol–gel technique 234
Specific heat 378
Spin glass 394
Spin-glasses 261
Stray field 326
Strongly correlated electrons 240
Studies of specific magnetic materials 115
Superparamagnetism 353, 372
Surface 140
Surface analysis 295
Surface magnetism 206
Surface pinning effect 11

Temperature 305
Temperature dependence 53
Texture 272
$ThCr_2Si_2$ type 388
Thermal stability 77
Thin films 347
Toroidal cores 110
Transition 140
Transition metals 17
Transition-metal oxides 261
Transmittance 48

Ultrathin film 206

XRD refinement 318